# DSA 103-22: LISTING OF STRUCTURAL TESTS & SPECIAL INSPECTIONS, 2022 CBC

| | | |
|---|---|---|
| **Application Number:** | **School Name:** | **School District:** |
| 02-121752 | John F Kennedy | Sacramento City Unified School District |
| **DSA File Number:** | **Increment Number:** | **Date Created:** |
| 34-H7 | | 2023-10-23 15:22:03 |

## 2022 CBC

**IMPORTANT:** This form is only a summary list of structural tests and some of the special inspections required for the project. Generally, the structural tests and special inspections noted on this form are those that will be performed by the Geotechnical Engineer of Record, Laboratory of Record, or Special Inspector. The actual complete test and inspection program must be performed as detailed on the DSA approved documents. The appendix at the bottom of this form identifies work NOT subject to DSA requirements for special inspection or structural testing. The project inspector is responsible for providing inspection of all facets of construction, including but not limited to, special inspections not listed on this form such as structural wood framing, high-load wood diaphragms, cold-formed steel framing, anchorage of non-structural components, etc., per Title 24, Part 2, Chapter 17A (2022 CBC).

****NOTE:** Undefined section and table references found in this document are from the CBC, or California Building Code.

### KEY TO COLUMNS

| 1. TYPE | 2. PERFORMED BY |
|---|---|
| **Continuous** – Indicates that a continuous special inspection is required<br><br>**Periodic** – Indicates that a periodic special inspection is required<br><br>**Test** – Indicates that a test is required | **GE (Geotechnical Engineer)** – Indicates that the special inspection shall be performed by a registered geotechnical engineer or his or her authorized representative.<br><br>**LOR (Laboratory of Record)** – Indicates that the test or special inspection shall be performed by a testing laboratory accepted in the DSA Laboratory Evaluation and Acceptance (LEA) Program. See CAC Section 4-335.<br><br>**PI (Project Inspector) –** Indicates that the special inspection may be performed by a project inspector when specifically approved by DSA.<br><br>**SI (Special Inspection)** – Indicates that the special inspection shall be performed by an appropriately qualified/approved special inspector. |